









KIT OR ARM DRAG



01

**GRAB** the casualty by their equipment (e.g., drag handle, strap) or their arm.

NOTE: Some body armor is equipped with a drag handle. It is important that the equipment is fully strapped and secured onto casualty.



02

While walking backwards (in quick, short bursts), **DRAG** the casualty toward cover.

**NOTE:** Injury can occur to either the rescuer or the casualty during training drills; keep safety in mind.












#### **NECK DRAG**

**NOTE:** The neck drag is useful in combat because it minimizes casualty and rescuer's exposure to enemy fire.



01


Have the casualty **HOLD** their hands together or tie the hands together at the

02

**STRADDLE** the casualty in a kneeling face-to-face position.

03

**LOOP** the casualty's tied hands over your neck. (unconscious)



04

**CRAWL** forward dragging the casualty with you.

05

**KEEP** the casualty on their back.

**NOTE:** This can be tiring for the first responder if the patient is heavy or wearing a lot of gear.

**NOTE:** Cannot be used if the casualty has a serious arm injury or amputation.

**NOTE:** If the casualty is **UNCONSCIOUS**, their head must be protected from the ground.














04

**RISE** and **DRAG** the casualty backwards.

If backing down steps, **SUPPORT** the casualty's head and body and let their hips and legs drop from step to step.

**NOTE:** The casualty is in a semisitting position.

**NOTE:** If the casualty needs to be moved up steps, use the same procedure.











PACK-STRAP CARRY

**NOTE:** This should be used for a **CONSCIOUS** casualty only.

**NOTE:** In the pack-strap carry, the casualty's weight rests high on the rescuer's back.

**NOTE:** Carrying the casualty high on the rescuer's back makes it easier to carry the casualty a moderate distance (50-300 meters).

**NOTE:** To eliminate the possibility of injury to the casualty's arms, you must hold them in a natural position around your neck.


01

**SQUAT** in front of casualty facing in the same direction; have the casualty wrap their arms around your neck.

**NOTE:** It is best if one of the casualty's arms is routed under one of the rescuer's arms and up toward the neck.

- 02
- **GRASP** the casualty's wrist and ensure their arm is over your shoulder.
- 03
- **LIFT** the casualty off the ground to a standing position using your leg muscles.
- 04
- **BEND** forward and raise or hoist the casualty as high on your back as possible so that the casualty's weight is resting on your back.
- 05

Once the casualty is positioned on your back, remain as upright as possible to **PREVENT** straining or injuring your back.















# **ONE-PERSON DRAG/CARRY SUPPORT CARRY**

**NOTE:** This should be used for a **CONSCIOUS** casualty only.

- **ASSIST** the casualty from the ground to 01 a standing position.
- With your dominant hand, GRASP the casualty's 02 corresponding wrist and draw it around behind your neck.
- **PLACE** your other arm around the casualty's waist, grabbing the casualty's belt or clothing where the belt loop is positioned. 03
- While using yourself as a crutch, **WALK** 04 with the casualty.

